



When worms play
havoc
in your patients body

Alzoben

Albendazole 400 mg. & Ivermectin 6 mg. Chewable Tablets

Alzoben *Forte*

Albendazole 400 mg. & Ivermectin 12 mg. Chewable Tablets

Potent combination of broad spectrum anthelmintics

Effectively decreases prevalence & intensity of intestinal helminth infections¹

Gains in height & weight are significantly greater in combination therapy than the individual drug²

A fast & efficient combination with excellent tolerability

Effectively removes & kills the parasitic worms

Alzoben

Albendazole 200 mg. & Ivermectin 1.5 mg. /5 ml. Susp.

Ascariasis | Trichuriasis | Hookworms | Neurocysticercosis

Lymphatic Filariasis | Mixed worm infestations

Alzoben

Single dewormer
for all age group

1. Clin Infect Dis. Dec. 1, 2010; 51 (11): 1229-1235

2. Am J Trop Med. Hyg. 1999 Mar;60 (3): 479-86



Stimulate
the
Appetite

Apeconic^{Syrup}

Cyproheptadine 2 mg. & Tricholine Citrate 275 mg./ 5 ml.

Cyproheptadine

Histamine antagonist with appetite stimulating effect
Improves desire to eat thus increases energy intake
Stimulates growth hormone secretion
Improves the nutritional status in children with malnutrition

Iran J Pediatr 2014, Dec; 24(6): 753-758

Tricholine Citrate

Major source as methyl donor; required for lipid transport away from the liver

Nutr Today, 2007; 42(4):181-186

Loss of Appetite

Anorexia Nervosa

Drug induced weight loss

Anemia, Liver or

Digestive Disorders

also available Drops

Apeconic

Cyproheptadine HCl 1.5mg &
Tricholine Citrate 65%- 55mg/ ml

helps boots the appetite

Cut the bond of infection

Arsecef

Ceftriaxone 250 mg./500 mg./1gm. Injection

with once daily
IIIrd generation cephalosporin

1st choice in

TYPHOID MENINGITIS

Harrison Principal of Internal Medicine Vol. 1, 16 H Ed.

10 TIMES EFFICACIOUS THAN CEFOTAXIME IN SURGICAL PROPHYLAXIS

Chemotherapy - 1989; 35:28-235ACCLAIMED AS NO. 1 ANTI-MENINGEAL Recommended by American Academy of Paediatrics.

Respiratory Tract Infections

"90% cure rates in Community-Acquired Lower Respiratory Tract Infections"

Chest. 2001;120:2021-2034

Pelvic Inflammatory Disease

"Ceftriaxone along with doxycycline & metronidazole had a CCR of 72%."

BMJ; Sex Transm Infect 2005;81:233-235

Bacteremia

" first line treatment in bacteremic pneumococcal pneumonia "

Diseases. 5th ed., 2000:2128-47

Sexually Transmitted Disease

Meningitis

"the first choice of treatment for patients with pneumococcal meningitis "

Oxford text book of med. 17.11.3; Sep, 1996

Urinary Tract Infections

"complicated urinary infections ceftriaxone perform equivalent to piperacillin/tazobactam "

Journal of Antimicrobial Chemotherapy (2003) 52, 331-344

Surgical Prophylaxis

"a single 2-g dose substantially reduces the incidence of early wound infections in patients undergoing surgery "

Lancet 1996;347:1133-7

Septicaemia

Arsecef-S ³²⁵₇₅₀₁₅₀₀

Ceftriaxone 250/500/1000 mg & Sulbactam 125/250/500 mg Injection

Arsecef-T ^{1.125}_{2.281}

Ceftriaxone 1000/250 mg. & Tazobactam 125/ 31.25 mg. Injection

... in emergencies & critical infections

Tease the **Infections**



Ciphonic ²⁵⁰₅₀₀
Ciprofloxacin 250/ 500 mg Tablets

Effective therapy for Acute Uncomplicated Cystitis in females caused by Escherichia coli or Staphylococcus saprophyticus

Shows absolute bioavailability 70 % with no substantial loss by first pass metabolism

Excellent results in certain serious ear infections, tuberculosis & some of the infections common in people with AIDS

Superior to cefalexin in the treatment of lower UTI

| Urinary Tract Infections | Bone and Joint Infections |

| Acute Uncomplicated Cystitis in Females | Skin & Soft tissue Infections |

| Uncomplicated Cervical & Urethral Gonorrhoea | Acute Sinusitis |



Ciphonic

Unmatched Coverage



For **active living**
of your patients

Conand²⁵₅₀

Nandrolone decanoate 25 / 50 mg. Injection
DISPO PACK

An anabolic steroid, derived from testosterone.

Increases red blood cell production & bone density, treating anemia.

Positive effect on muscle growth, appetite stimulation in malnutrition cases.

Effective in post menopausal subjects, with osteoporosis.

Controls neoplasia including breast cancer & also acts as a progestin based contraceptive.

Malnutrition

Debilitating illness

Aplastic Anemia

Conand²⁵₅₀

HEALTHIER NOURISHING SUPPLEMENT



When the
Raga
 of Body
 get disturbed

Condic P TABLETS

Diclofenac 50 mg. & Paracetamol 325 mg.

Diclofenac

Excellent efficacy & tolerability in painful inflammatory conditions

Paracetamol

A powerful analgesic and antipyretic enhances the analgesia of Diclofenac

- Post Surgical Inflammation
- Acute /Chronic ENT Infection
- Ligament Tear
- Fibrositis & Tendinitis
- Dental pain & Inflammation
- Fractures & Dislocations
- Arthritis
- Pelvic inflammatory disease

Condic S TABLETS

Diclofenac 50 mg., Paracetamol 325 mg. & Serratiopeptidase 10 mg.

Condic MR TABLETS

Diclofenac 50 mg., Paracetamol 325 mg. & Chlorzoxazone 250 mg.

Condic Gel

Diclofenac Sodium 1%, Menthol 5% Methyl Salicylate 10% & Linseed Oil 3 %

Condic Aqua Injection

Diclofenac Sodium 75 mg/1 ml.

Condic Hot Gel

Diclofenac Sodium 1.16%, Capsaicin 0.025%, Menthol 5%,Methyl Salicylate 10% & Linseed Oil 3 %

Condic Spray Spray

Diclofenac Sodium 1%, Menthol 5% Methyl Salicylate 10% & Linseed Oil 3 %



*for better & faster
wound healing*

Condon ^{OINTMENT}

Povidone Iodine 50 mg, Sucralfate 70 mg & Metronidazole 10 mg.

Povidone Iodine

The gold standard
anti-microbial

An antiseptic used for
skin disinfection



Sucralfate

Regenerates tissues, Accelerates healing

A Cytoprotective agent with adheres to mucoproteins
& forms a protective barrier at wound site.

Metronidazole

An antibiotic. Kills the bacteria & other microorganisms that
cause infections by damaging the DNA.

 Reduces load of systemic antibiotics  Supports faster healing

Venous Ulcers | Burn Wounds | Diabetic Foot Ulcer
Laceration & Abrasion | Post Episiotomy Wounds

also available

Condon

Povidone Iodine 2% Germicide Gargle (100ml)

.....a broad-spectrum microbicide



Conicard HZ

Telmisartan 40 mg & Hydrochlorothiazide 12.5 mg Tablets

Telmisartan

An angiotensin II receptor antagonist which is very potent in inhibiting angiotensin II - AT1 receptor subtype with high selectivity.

Hydrochlorothiazide

A thiazide diuretic, affect renal tubular mechanism of electrolyte reabsorption & increase excretion.



Conicard A

Telmisartan 40 mg & Amlodipine 5 mg Tablets

Conicard 40

Telmisartan 40 mg Tablets

remedy for hypertension

Giving
protection
to **Life**

Conicef²⁵⁰₅₀₀

Cefuroxime Tablets

Active against gm+ve, gm -ve & beta lactamase

Attains higher CSF concentration

Ideal in meningitis


Higher penetration in tissues

Possesses greater anti-microbial activity against Streptococcus

US FDA approved
for secondary
bacterial infections
of acute bronchitis
with 5 day therapy

Antimicrob Agent Chemother 1976, 505-510

Superior to Amoxy-Clavu



■ Cefuroxime ■ Amoxicillin
& Clavulanic Acid
Martindale 32 Edition

Conicef CV

Cefuroxime 500mg & Clavulanic Acid 125mg Tablets

Conicef⁷⁵⁰₁₅₀₀

Cefuroxime 750 & 1500 mg. Injections

Respiratory Tract Infections

Urinary Tract Infections

Skin & Soft tissue Infections

ENT Infections

bleaches Infections

Endure connection among the nerves



Conicobal[®] 1500 Gold

Methylcobalamin 1500 & 2500 mcg. **Injection**

Promotes regeneration of degenerating nerve terminal & provide neuronal protection

Increases the nerve conduction velocity on diabetic neuropathic patients

Clin Drug Invest 1999, Mar; 17 (3) 179-184

Safe & has high tissue retention than cyanocobalamin

Clinical Trials Journals 1985, Vol. 22, No. 6:534-6

Recovers back the facial nerve function in bell's palsy

Alternative Medicine Review; Vol .3, No. 6 1998

Peripheral Neuropathy

Dementia

Sciatica

Diabetic Neuropathy

also available

Tablets

Conicobal[®]-LC

Methylcobalamin 1500mcg, L-Carnitine 500mg, L-Arginine 100mg,
Folic Acid 1.5mg & Vitamin D3-2000-IU & Vitamins

Tablets

Conicobal[®]-CD3

Coral Cal 500mg, Chromium Picolinate 200mcg, ALA 200mg,
Benfothiamine 150mg, Inositol 100mg, Pyridoxine 3mg,
FA 1.5mg, Methylcobalamin 1500mcg & Vit D3 2000 IU

Tablets

Conicobal[®]-P

Methylcobalamin 750mcg. & Pregabalin 75mg

Tablets

Conicobal[®]A-Z

Methylcobalamin with Multivitamin, Minerals & Antioxidant

Tablets

Conicobal[®]-D3

Methylcobalamin 1500 mcg., ALA 100 mg.,
Vit. D3-1000 IU, Pyridoxine 3 mg. & Folic Acid 5 mg.

Syrup

Conicobal[®]-L

Lycopene 2500 mcg., Methylcobalamin 500 mcg.,
with Antioxidants

Injection

Conicobal[®]Plus

Methylcobalamin 1000 mcg., Pyridoxine HCl.100 mg.
& Nicotinamide 100 mg. Dispo Pack

Soft Gel Capsules

Conicobal[®]SG

Methylcobalamin 1500 mcg., ALA 100 mg.,
Pyridoxine 3 mg. & Folic Acid 5 mg.

retrieves life of nerves

When critical situations occurred

Conicort

Deflazacort 6 mg. Tablets

Treatment of choice for long term therapy for people at higher risk of metabolic side effects

Initial option in children requiring corticosteroid therapy

Lesser depression of osteoblasts than prednisolone

Induces lesser glucose intolerance & insulin resistance than betamethasone

also available

Conicort

Deflazacort 6 mg. Suspension

Sever Allergy

Ulcerative Colitis

Asthma

Rheumatoid Arthritis

Conicort

helps to rebuilds healthier life





**Hit hard on signs
of Inflammation**

Conicox⁹⁰₁₂₀
Etoricoxib 90 & 120 mg. Tablets

Efficacious alternative in the management of arthritis & pain, with favourable GI tolerability, reno-vascular effects & CV safety profile with improved quality of life compared with traditional NSAID's¹

Reaches Cmax in just 1 hour & slows upto 100 % absolute bioavailability¹

More rapid with excellent response within 4 hours of first dose than diclofenac in OA¹

Significantly more effective in improving tender and swollen joint than naproxen in patinets with rheumatoid arthritis²

1. Ther Clin risk manag 2006, march 2(1) : 48-57 | 2. Drugs 2002

OA/RA/ANKYLOSING SPONDYLITIS

ACUTE GOUTY ARTHRITIS

CHRONIC MUSCULOSKELETAL PAIN

PRIMARY DYSMENORRHEA

CHRONIC LOW BACK PAIN

Conicox P
Etoricoxib 90 mg. &
Paracetamol 325 mg. Tablets

Conicox T⁴₈
Etoricoxib 60 mg. &
Thiocolchicoside 4 / 8 mg. Tablets

eases the pain & agony

FAST & PREDICTABLE
RESPONSE IN PAINFUL SPASM

Conidrot M

Mefenamic Acid 250 mg. & Drotaverine 80 mg. Tablets

Mefenamic Acid

Proven Analgesic

- Muscle Joint & Soft Tissue Pain
- Dysmenorrhoea

Drotaverine

Control & prevention of pain & dysfunction caused by smooth muscle spasm

Conidrot-40

Drotaverine HCl. 40 mg. Injection

Conidrot-AC

Drotaverine 80mg & Aceclofenac 100mg Tablets


Spastic
Constipation

Peptic Ulcer

Irritable
Bowel Syndrome



Conidrot *say no to spasm*



don't let
fungus
turn your
into food!

Conifine²⁵⁰

Terbinafine Hydrochloride 250 mg. Tablets

First line drug for the treatment of tinea corporis & cruris due to favorable mycological & pharmacokinetic profile¹

Possesses broad spectrum of activity against fungal pathogens of the skin, hair & nails

Effective against the species in trichophyton, Microsporum & epidermophyton genera¹

Higher overall efficacy rates & lower relapse rates as compared with itraconazole in the treatment of tinea corporis²

1. Indian J Dermatol 2016 Sep-Oct; 61(5):529-533
2. Clin Cosmet Dermatol, 2009;2 : 49-63

TINEA CAPITIS | ONYCHOMYCOSIS
FUNGAL INFECTIONS OF THE SKIN

Conifine²⁵⁰ a decisive NO to Fungal Infections



When
tough pathogens
try to be the **host**

Conifix™-O

Cefixime 200 mg. & Ofloxacin 200 mg. Tablets

Ideal choice for patients unresponsive to single drug

Improved efficacy, used as first-line choice in typhoid

Offers synergy in treating enterococcal UTIs

Offers better patient compliance

TYPHOID FEVER

URINARY TRACT INFECTIONS

LOWER RESPIRATORY TRACT INFECTION

ACUTE GASTRO INTESTINAL TRACT INFECTIONS

also available

Conifix™-CV

Cefixime 200 mg. & Clavulanic Acid 125 mg. Tablets

Conifix™⁵⁰₁₀₀²⁰⁰ DT

Cefixime 50, 100 & 200 (DT) mg. Tablets

Conifix™ O LB

Cefixime 200mg, Ofloxacin 200mg & LAB Tablets

Conifix™^{50/100} 50LB

Cefixime 50 & 100 mg. **Dry Syrup**


Cefixime 50 mg. & LAB **Dry Syrup**

Conifix™¹⁰⁰₂₀₀ LB

Cefixime 200 mg. & Lactic Acid Bacillus Tablets

Cefixime 200 mg. & Lactic Acid Bacillus Tablets

.....for swift approach



*Decline the
fierce action of
Ocular Pathogens*

Coniflox

Moxifloxacin 0.5% Eye Drops

Provides increased penetration into ocular tissues and fluids with improved activity against streptococci & Staphylococci species

Excellent activity against clinically relevant gram-ne ocular pathogens

Shows 84%-94% micro biological eradication rate in patients with ocular bacterial infections

Clin ophthalmol 2008 Mar; 2(1): 77-90

Steroid responsive inflammatory ocular conditions

Palpebral & Bulbar Conjunctiva

Corneal & Anterior segment of the globe

Coniflox Plus
Moxifloxacin 1% Eye Drops

Coniflox-D
Moxifloxacin 0.5% & Dexametahsone 0.1% Eye Drops

Coniflox-K
Moxifloxacin 0.5% & Ketorolac 0.5% Eye Drops

Coniflox-P
Moxifloxacin 0.5% & Prednisolone 1% Eye Drops

Coniflox *excellent efficacy with safety*

Enjoy eating than wasting



Conigest ¹⁰⁰ ₂₀₀

Fungal Diastase 50mg, Papain 10mg, Vit. B1-2mg, Vit. B2-2mg, Vit. B6-1.5mg, Niacinamide 10mg, Manganese Sulp. 1.55mg, Copper Sulp. 1.25mg & Zinc 12.5mg/5 ml. Syrup

Conigest-L

Fungal Diastase 50mg, Pepsin 10mg with L-Lysine 10mcg /5ml Syrup

Diastase

Natural pro-digestive enzyme, used in disturbances of GI functions and prevention of malabsorption of food

Pepsin

A natural protein digestant with excellent fibrinolytic properties

Indigestion

Irregular Bowel Movement

Slow Enzymatic Process

Anorexia Nervosa

Flatulence

Post Gastro-Intestinal Surgery

also available

Conigest
Carminative with Digestive Enzymes Drops

Conigest
Fungal Diastase 18.75mg & Pepsin 12.50mg Tablets

for complete enjoyment of having food

When allergy disturbs



Conihist M

Montelukast 10 mg. & Fexofenadine 120 mg. Tablets

Montelukast

Time tested leukotriene antagonist

An effective & safe option for the treatment of asthma

Fexofenadine

Gives a strong & effective anti-histaminic action

Relieves & prevents allergic symptoms such as watery eyes, running nose, itching eye/nose, sneezing

Does not cause drowsiness

Targeted on the two key pathways of controlling allergic rhinitis by eliminating causal factors

Maintains the efficacy with safety

Chronic Urticaria
Seasonal Allergic Rhinitis

Nasal Congestion
Sneezing & Running Nose

Conihist¹²⁰₁₈₀
Fexofenadine 120 & 180 mg. Tablets


Conihist
Fexofenadine 30mg/5ml. Suspension

COMPLETE PROTECTION & PREVENTION

*In gram -ve scare
A stonger candidate*

ConikacinTM500

Amikacin 500 mg. Injection



“Gram -ve rods cause 98% of the UTI. E.coli the leading pathogen & aminoglycosides like Amikacin, are the most suitable agent for empiric therapy in UTI”

Harefuah 2003 Apr; 142(4) : 249-52, 319-20

Treats serious infections caused by
Gentamicin -resistant Gram-ve bacilli
Antimicrobial Agents & Chemotherapy, July 1999, p-1540-1555

Infections of CNS

Meningitis

Intra-abdominal Infections

Urinary Tract Infections

Septicaemia

Burns & Post Operative Infections

Bone & Joint Infections

Skin & Soft Tissue Infections

Ensures powerful protection..... ConikacinTM



CONSTIPATION?

Unlock the System

Conilax^{SUSPENSION}

Sodium Picosulphate 3.33mg, Milk of Magnesia 3.75mg & Liquid Paraffin 1.25mg/5ml.

Sodium Picosulphate

Stimulates the propulsive activity of the colon, prevent absorption of water in the colonic lumen & thus promotes accumulation of water

Milk of Magnesia

Increases the osmotic gradient in the gut and stimulates peristalsis resulting in efficient bowel evacuation

Liquid Paraffin

Lubricates bowel and softens the stools

- **Chronic Constipation**
- **Slow-transit constipation (Diabetics)**
- **Drug-induced constipation**
- **Bowel evacuation before colonic diagnostic procedure**
- **Constipation with medical conditions (CVS, piles, hernia)**

Conilax^{SUSPENSION}

for smooth purgative effect without
gripping & electrolyte disturbance

Perfect strike
against PATHOGENS



Conilevo 250 750


Levofloxacin 250/750 mg. Tablets

Exhibits broad spectrum activity against both gm+ve & gm -ve aerobes as well as anaerobes

100 % bioavailability

Effective & well tolerated than cefuroxime in treatment of AECB caused by pathogens like Haemophilus-influenzae, Streptococcus-pneumoniae and Moraxella-catarrhalis

Journal of Antimicrobial Chemotherapy 1999, 43 (4): 529-590



Conilevo-0

Levofloxacin 250mg & Ornidazole 500mg Tablets

- **Nosocomial Pneumonia**
- **Community Acquired Pneumonia**
- **Urinary Tract Infections**
- **Bone & Joint Infections**
- **Chronic Bronchitis**
- **Skin & Soft tissue Infections**

Conilevo

Versatile Antibiotic with unmatched efficacy

**Many Problems
One Solution**



Conilide-P

Nimesulide 100 mg. & Paracetamol 325 mg Tablets

Nimesulide :

Immediate & significant improvement in over-all pain, oedema and produces a rapid lowering in body temperature¹

Paracetamol :

First line choice for the treatment of both fever & mild-to-moderate pain²
Safer than Ibuprofen³

Combination :

Faster onset & longer duration of analgesic & antipyretic effects than alone⁴

1. J Int Med Res. 1984; 12(6): 327-32

2. Pain Ther. 2015 Dec; 4(2):149-168

3. Inflammopharmacology. 2017; 25(1):1-9

4. Indian J Pharmacol. 2010 Dec; 42(6):354-357

Pain, Fever & Inflammation

Tooth Extraction | Flare-up of osteoarthritis | Dysmenorrhoea
Post operative pain | Sports injuries | ENT inflammation

Conilide-MD

Nimesulide 100 mg. Mouth Dissolving Tablets

Conilide-CPM

Nimesulide 100mg, Phenylephrine 10mg,
CPM 5mg & Caffeine 30mg Tablet

Conilide-P

Nimesulide 100mg & Paracetamol 325mg

Conilide-S

Nimesulide 100mg & Serratiopeptidase 20mg

Conilide-C Cold

Nimesulide 100mg, Phenylephrine 5mg,
Cetirizine 5mg & Caffeine 30mg Tablet

Conilide-P Cold

Nimesulide 100mg, PCM 325mg,
Phenylephrine Hcl 10mg & Caffeine 25mg Tablet

trusted answer to the problems

Miserable life....
....rich again

Coniliv™ H

Ayurvedic Capsules & Syrup

*with unique formula
to aid liver*

Aids fat metabolism through the liver & helps the body convert excess body fat into energy.

Acts as a substrate for urea genesis, thus eliminates ammonia from blood.

Serves as a stimulus for hepatic glutamine synthesis, which may be defective in acute & chronic liver disease

An effective enzyme supplement for replacing missing pancreatic enzymes & aids in the digestion of foods.

Reduces ammonia levels by increasing hepatic ammonia disposal & its peripheral metabolism.

Gastroenterology, Volume 136, Issue 7, Pages 2159-2168, June 2009

Syrup :	
Pudina satva	100mg
Kalmeth panhang	200mg
Pittpapdo seeds	200mg
Bhuiamla root	200mg
Mulethi root	200mg
Patolpatra leaf	150mg
Tulsi leaf	150mg
Kaani seed	150mg
Giloy panchang	150mg
Harad fruit	100mg
Baheda fruit	100mg
Amala fruit	100mg
Kutki seeds	100mg
Chitrak root	100mg
Suva seeds	100mg
Jeera seeds	100mg
Vavding fruit	100mg
Bungraj panchang	500mg
Daruhaldi rhizome	100mg
Maka panchang	200mg
Sarpakho panchang	400mg
Flavoured syrup base q.s	per 5 ml.

Acute & Chronic Hepatitis

Fatty Liver

Jaundice

Liver Cirrhosis

Alcoholic Liver Damage

Post Hepatitis Convalescence

Hepatic Encephalopathy

Adjunct to Hepato Drug


Coniliv™ 4G

Ayurvedic Liver, alkaliser, enzyme & Antacid Syrup **225ml**

Coniliv™

L ornithine 150mg & L aspartate 100mg Injection

.....the Hepato protective for healthy life



*Minimize friction &
allow smooth movement*

Conilube

Carboxy Methyl cellulose 0.5% Eye Drops

Provides significant improvement in tear film stability after phacoemulsification for age related cataract

Addition of CMC to conventional post surgical therapy helps prevent development & worsening of dry eye

Prolongs tear breakup time, improves the ocular protection index.

Helps promote corneal epithelial recovery following cataract surgery

Manages patients with prior dry eye disease

BMC Ophthalmol 2015; 15:28


Dry Eyes | **Post Operative Inflammation**

Conilube-PG

Polyethylene Glycol 400 & Propylene Glycol **Eye Drops**

*designed to moisturise
& lubricate the eyes.*

Constipation
relief that lasts long



Coniluse

Lactulose 3.35 gm/ 5 ml. Solution

- Effective, well-tolerated & safe laxative in the acute treatment
- Produces a treatment response (improved stool frequency and straining)
- Promotes growth of lactic acid bacteria and reduces pH of the colon
- Improves glucose-tolerance in parallel to fibre and acarbose effects

Coniluse *Get back the regular life*



Infant Colics
NO MORE CRYING

Conimeth

Simethicone 40 mg., Dill Oil 0.005 ml. & Fennel Oil 0.0007 ml.
Drops

**Gas
&
Pain**

ASSOCIATED
WITH

**Spasm
Indigestion
Air Swallowing**

Safest way to relieve infant colic

Prevents gas formation & helps in digestion

No dicyclomine hence no side effects/
adverse effect

Low volume of medication required thus
safer & better treatment



Conimeth

FOR SPEEDY RELIEF FROM SPASM

In
Pain & Pyrexia



ConimolTM **650**

Paracetamol 650 mg Tablets



Gentle on Stomach

Preferred option for patients who cannot take anti-inflammatories
(due to stomach ulcers)

Reduces high temperature & provide relief from pain

Safe & effective for Adults & Children in treating mild to
moderate pain

also available

ConimolTM **120**
250

Paracetamol 120 /250 mg Suspension

ConimolTM

Acetaminophen 100 mg Drops



when sufferings bangs

Improve the
Standards of life....



Conimont L

Levocetirizine 5 mg. & Montelukast 10 mg. Tablets

Montelukast

Effective for managing asthma & allergic rhinitis symptoms in patients previously uncontrolled with inhaled corticosteroid/long-acting β -agonist

Clin. Pract. 2013, 10(3), 257-263

Levocetirizine

Significantly improves clinical symptoms & quality of life in persistent allergic rhinitis, both perennial & Seasonal

J. Asthma Allergy 2009; 2:17-23

Combination : More effective in reducing daytime & night time symptoms of AR than levocetirizine alone

J. Aller Ther, 2010, 1 :103

Relief of Symptoms of Allergic Rhinitis

Prophylaxis in Seasonal Allergic Rhinitis

Symptoms of Perennial Allergic Rhinitis

Co-morbid Asthma & Allergic Rhinitis

Conimont L Kid

Levocetirizine 2.5 mg. & Montelukast 4 mg. Tablets

Conimont L

Levocetirizine 2.5mg & Montelukast 4mg/5ml. Syrup

Conocet

Levocetirizine 5 mg. Tablets

Conocet

Levocetirizine 2.5 mg./5ml. Suspension

POWERED COMBINATION



Conimox[®]CV **375** **625** **1.2 Inj**

Amoxicillin 250/500 mg. & Clavulanic Acid 125 mg. Tablets
Amoxicillin 1000 mg. & Clavulanic Acid 200 mg. Injection

Amoxicillin :

Active against gram positive organisms

Clavulanic Acid :

Extends spectrum of activity to cover many beta-lactamase producing gram +ve & gram -ve organisms including gram negative anaerobes

Conimox[®]CV **625 LB**

Amoxicillin 500mg, Clavulanic Acid 125mg & LAB 60 million Tablets

Hospital acquired pneumonia

Epididymo-orchitis

Conimox[®]CV **DS** **Forte**

Amoxicillin 200 mg. & Clavulanic Acid 28.5 mg./ 5ml. **Dry Syrup**
Amoxicillin 400 mg. & Clavulanic Acid 48.5 mg./ 5ml. **Dry Syrup**

with WFI

Recurrent urinary tract infection

Bites and clenched fist injuries

Otitis media

Conimox[®]-C

Amoxicillin 250mg, Cloxacillin 250mg & LAB 60 million Tablets

Conimox[®] **300** **600**

Amoxicillin 250/500mg & Potassium Clavulanate 50/100mg **Injection**

Conimox[®] **250** **500**

Amoxicillin 250 / 500 mg. Capsules

Conimox[®] **50**

Amoxicillin 50 mg. Drops

out perform the dawn of infections



Ingest the Power
in every part of the body

 *Sugar Free*
Coniprot

Protein Powder enriched with Bovine Colostrum,
DHA, Multivitamin & Multimineral.

Flavours available

Elachi

Vanilla

Chocolate

Kesar

Pista

Effective agent for strengthening immune system

Ensures normal functioning of nervous system

Reduces insulin demand in diabetes by improving insulin functions

Reduces oxidative stress & aging

Prevents LDL from oxidation which further prevents Atherosclerosis

Relieves both mental & physical stress


Coniprot SYRUP

Protein Tonic enriched with Iron Multivitamin & Multimineral.

...complete body tonner

Speed up active life

CONIQ 10 CAPSULES

Co-enzyme Q-10-100mg, Lycopene 10%- 5000IU, Green Tea Extract 200mg, L-Arginine 500mg, Methylcobalamin 500mcg, Vitamin D3-200 IU, Multivitamin & Multimineral **Capsules**



Co-Enzyme Q10

- Q A powerful antioxidant, combating attack of oxygen free radicals & improves immune function.
- Q Helps in regulating genes which in turn control energy production & other important functions in the cell.
- Q Supports optimal heart health^{1,2,3}

Lycopene

- Q Decreases systolic & diastolic blood pressure & reduced levels of lipid peroxidation products.⁴

Vitamins & Minerals

- Q Clinically useful in preventing various diseases & health problems⁵

Antioxidant

- Q Acts as free radical scavengers thus enhances the immune function⁶

Zinc

- Q Acts as antioxidant, shows better glycemic control & improves peripheral neuropathy

(1) Biofactors. 2008;32(1-4):119-28.

(2) 6th International Q10 Conference Brussels, 27-30 May 2010; 29-30.

(3) Biochim Biophys Acta. 1992 Jun 26;1126(3):247-54.

(4) Engelhard, Y. N. et al Am Heart J 2006;151:100.

Paran, E et al. Cardiovasc. Drugs Ther. 2009;23(2):145-151

(5) Primary Care : Clinics in Office Practice, Vol 35, Issue4, dec 2008, Pages 729-747

(6) Int J Biomed Sci 2008 Jun; 4(2):89-96


CONIQ 10 SYRUP

Co-enzyme Q-10 - 100mg, Lycopene 10%- 5000mcg, Vit. B1-1.4mg, Vit. B2-1.4mg, Vit. B12-1mcg, Vit. B5-5mg, Vit. E-10mg, Vit.D3-200IU, Zinc 12mg, Selenium-40mcg, DHA-60mg, L-arginine 500mg, Green tea Extract 200mg & Vitamin B12- 2.2mcg. / 5 ml.

ACTIVE →

lifeActive restore

A very good
treatment Option
for functional
dyspepsia



Coniran

Ranitidine 75mg Syrup

Gastro-esophageal reflux disease & other acid related disorders are common in children & adolescents

A recent study revealed that 1.8-8.2% individuals of 3 to 17 years experience symptoms of GERD

Helps in relieving the risk of peptic ulcer in children

Significantly increased the intragastric pH in children aged 4-11 years. The pharmacokinetic & pharmacodynamic profiles were similar to those in adults. Ranitidine, 75 mg, appears to be effective for the control of intragastric acidity for 5-6 h in children aged 4-11 years.

Aliment Pharmacol Ther. 2002 May;16(5):899-907.

GERD | Hyperacidic Complications in children

Gastric Ulcer & Duodenal Ulcer

NSAID associated Ulceration

Zollinger Ellison Syndrome

highly effective treatment in Gastric problems



When
nosocomial
infections
affects your patients

Conitaz^{4.5}

Piperacillin 4gm & Tazobactam 0.5gm Injection

Combines extended spectrum antipseudomonal penicillin, Piperacillin and Tazobactam- potent -lactamase inhibitor

Rapid Distribution within 30 minutes

Good concentration in the lungs, G.I. tissue and muscle/fat tissues

Low sodium content therefore can be safely used in patients on salt restricted diets

Nosocomial pneumonia

Gynecological Infections

Community-acquired pneumonia

Postpartum endometritis

Appendicitis

Pelvic inflammatory disease

Skin & Soft tissue infections

Diabetic foot infections

swap out the infections

Conitaz^{1.125}
Piperacillin 1gm & Tazobactam 0.125gm Injection

Conitaz^{2.25}
Piperacillin 2gm & Tazobactam 0.25gm Injection


when
ACIDITY & REFLUX
is the problem

Conitop-DSR

Pantoprazole 40 mg. &
Domperidone 30 mg. Sustained Release Capsules

Pantoprazole : a better choice

- Specifically binds to region of the proton pump crucial for H^+/K^+ -ATPase activity & acid transport.
- More stable in neutral to moderate acidic pH
- Potentiates antibacterial activity of anti microbial agents against H. pylori
- No accumulation in body even after repeated administration
- Has minimal drug interaction among PPI's



Martindale 34th edition 2005

Domperidone

- Only potent dopamine antagonist with anti-emetic property
- Increases tone of lower esophageal sphincter hence prevents reflux & normalizes gut motility

also available

Reflux Oesophagitis

Gastric Ulcers

Duodenal Ulcers

NSAID induced Ulcers

GERD

Non Ulcer Dyspepsia

Conitop-LS

Pantoprazole 40 mg. & Levosulpiride 75 mg. (SR) Capsules

Conitop-D

Pantoprazole 40 mg. & Domperidone 10 mg. Tablets

Conitop-40

Pantoprazole 40 mg Tablets / Injection



Don't
*let your patients
get **lost**
Balance their life*

In Vertigo & Associated Symptoms

ConiVert¹⁶

Betahistine 16mg Tablets

Safe in the management of Vertigo

Does not increase cardiac output, thereby no effect on systemic blood pressure

No effect on gastric acid secretion

Meniere's Disease & Tinnitus

Neurology India, Sept 2004,48 : 255-9

Effective on blood flow in the inner ear

Inhibitory effect in the vestibular nuclei

also available

Coniver⁸₂₄

Betahistine 8 & 24mg Tablets

restore the lost balance

VENTILATE EVERY CELL OF THE BODY



Conivit™

Multivitamin, Multimineral & Antioxidant Capsules

Effective agent for strengthening immune system

Ensures normal functioning of nervous system

Reduces insulin demand in diabetes by improving insulin functions

Reduces oxidative stress & aging

Prevents LDL from oxidation which further prevents Atherosclerosis

Relieves both mental & physical stress

Cardiovascular Disease

Cataract

Asthma

Inflammatory Disorder

Infertility

Allergic Rhinitis

Diabetes

Cancer

Conivit™

Thiamine 2mg, Riboflavin 1.5mg, Vit.B6-1.5mg,
Vit.B12-1mcg & Lysine 75mg Syrup

Conivit™ G

Ginseng enriched with Multivitamin, Minerals
& Antioxidants Capsules

Conivit™ 7G

Ginseng enriched with Multivitamin, Minerals
& Antioxidants Capsules

Conivit™ 9G

Multivitamin, Minerals & Antioxidants Capsules
(Very Strong Composition)

Conivit™ L

L-Lysine 375mg, Pyridoxine 1mg, Vit.A-2500IU,
Vit.E 22.5mg enriched with Multivitamin /5ml. Syrup

Conivit™ L

L-Lysine enriched with Multivitamin & Minerals Drops

Conivit™ Gold

Ashwagandha 75mg, Safed Musli 50mg, Shatavri 50mg, Horny Goat
75mg, Daru Haldi 50mg, Anant Mool 20mg, Shilajit 75mg, Loh
Bhasam 20mg, Kaunch Beej 25mg, Makardwaj 10mg & Bramhi 50mg

Conivit™-S

Silymarin 35mg, Thiamine 1.5mg, Riboflavin 1.5mg,
Vit. B12-1mcg & Lysine 75mg /5ml. Syrup

COMPLETE RANGE TO REJUVENATE LIFE

Making Pregnancy....

.....a more pleasing experience

Conivom

Doxylamine Succinate 10 mg., Pyridoxine 10 mg. & Folic Acid 2.5 mg. Tablets

Drug of choice for the management of nausea & vomiting of pregnancy

New England Journal of Medicine , April 16, 1998

Scored the highest safety rating "A" in drugs during pregnancy as the choice for the management of nausea & vomiting of pregnancy

Drugs in Pregnancy & Lactation, 6th edition; Lippincott Williams & Wilkins 2001

Use of Doxylamine, Pyridoxine & Folic Acid significantly decreases the likelihood of reverse morning sickness

Can. fam. physician 2006 Dec;52 (52): 1545-6

No more Nausea & Vomiting which may overstress the uterus

Overcomes folate deficiency to ensure proper foetal development

Makes lady comfortable to take nutritious diet which is beneficial for the growth of foetus

also available

Conivom *Forte*

Doxylamine Succinate 20 mg., Pyridoxine 20 mg. & Folic Acid 5 mg. Tablets

Just tablet **1** at bedtime

support for availing the special moment



Multiple Problems
ONE ANSWER

Conizine²⁵

Hydroxyzine 25mg Tablets

Commonly used to treat pruritic skin lesions

Dermatol Online J.2013, Feb 15;19(2)4

Effective in controlling the symptoms of patients with chronic pruritus

Skinmed 2007 Mar-Apr; 6(2):70-2

Has equal results compared to doxepine but greater than cetirizine in controlling the symptoms of patients with chronic pruritus.

CulanOcul Toxicol. 200; 26(3):249-55

First generation antihistamine widely used in the paediatric population for a variety of conditions

Singapore Med J.2004 Feb;45(2):90-2

Safest & first choice among anti-histamines to be used in pregnancy

J Pharmacol Pharmather. 2012 Apr-Jun ; 3(2):105-108

Pruritis | **Allergic Dermatitis** | **Urticaria**

Contact Dermatitis | **Atopic Dermatitis**

also available

Conizine
Hydroxyzine 10mg/5ml **Syrup**

Conizine
Hydroxyzine 10mg/ml **Drops**

eases & soothes the skin problems



Show out way to infections

Conizone^{Injection} 1.5

Cefoparazone 1000 /500 mg.
& Sulbactam 500 mg.

- ✓ Cefoparazone / Sulbactam exhibits 8 fold potent antimicrobial activity than cefoparazone against β -lactamase producing E.coil and CONS¹
- ✓ Significantly reduces the complications induced by postoperative infections²
- ✓ Sulbactam remarkably reduce the MICs of Cefoprazone³

1. Hinyokika Kyo-1991 October,37(10):1333-43 2. Dig Dis Sci 2003 October,48(10):1995-59 3. Diagr.Microbiol Infect Dis 1987 Sep.:8(1):61

In the Management of

- Respiratory Tract Infections
- Peritonitis & other intra-abdominal infections
- Bacterial Septicemia
- Skin & Soft tissue Infections
- Prophylaxis in pre/post operative infections

Conizone outshows the Infection



Let
Aerobes & Anaerobes
to Surrender


Conoflox-OZ

Ofloxacin 200 mg. & Ornidazole 500 mg. Tablets

Ofloxacin

Rapidly bactericidal fluoroquinolone¹

Highly active against Enterobacteriaceae, enteropathogens & fastidious gram-ve bacteria

Ornidazole

1.7 fold longer half life than metronidazole², thus pharmacokinetically compatible with ofloxacin

Better antibacterial properties than metronidazole³

1. Clin Infect Dis, 1992 Feb; 14(2):526-38

2. Clinical Microbiology & Infection, Vol 14, issue6, June 2008, Pages 601-604

3. Med Sci Monit, 2012; 18(3): 95-102

INTRA-ABDOMINAL INFECTIONS

GYNECOLOGICAL & PELVIC INFECTIONS

FOOT ULCERS ESPECIALLY IN DIABETIES

LUNG ABSCESS

INFECTIONS IN IMMUNOCOMPROMISED PATIENTS


Conoflox
Ofloxacin 200 & 400 mg. **Tablets**
Ofloxacin 50 / 100 mg. **Suspension**


Conoflox-M
Ofloxacin 50 mg., Metronidazole 120 mg.
& Simethicone 10 mg. **Suspension**



Suffering from
Chronic Pain

Target the
Neuropathic Pain

Conort-PG

Nortriptyline 10mg & Pregabalin 75mg Tablets

Pregabalin

Significantly greater reduction in pain levels than in placebo¹
Decreases sleep interference & pain²

Nortriptyline

Relieves paresthesia associated with peripheral neuropathies
of many etiologies³

Effective for the symptomatic relief of neuropathy⁴

Peripheral Neuropathy | **Diabetic Neuropathy**

Drug induced Neuropathy | **Postherpetic neuralgia**

1. Diabetic Care. 2008, Jul 31(7):1449-1454
3. Pain 2002, Jul 90(1-2):195-200

2. Curr Pharm Headach Rep. 2001 Jun 106; 179-84
4. CNS Drugs 2008; 22(3):417-42

Conort-PG
Nortriptyline 10mg, Pregabalin 75mg
& Methylcobalamin 1500mcg Tablets *Forte*

Conort-G
Nortriptyline 10mg & Gabapentin 400mg Tablets

Fast Relief from Nerve Pain and Neuropathy



Worried about skin infection

Dercon-0

Ofloxacin 0.75%, Ornidazole 2%, Terbinafine 1% & Clobetasol 0.05% Cream

Ofloxacin :

Stops the bacteria multiplication by inhibiting nucleic acid synthesis

Ornidazole :

An Anti-amoebic agent kills the bacteria that infects the inflamed skin

Terbinafine :

Exhibits fungicidal activity against dermatophytes & some yeast

Clobetasol :

Acts on the inflamed skin and reduces itching

Itching, Stinging, Pruritis Vulvae, Virginities

Candidiasis & Trichomonas Infections

Inflammatory Dermatoses, Genito-Urinary infections

Mixed & Complicated Fungal, Protozoal & Bacterial Infections

Swelling, redness of scaly rashes & Scabies

Dercon-MN

Clobetasol 0.05%, Miconazole 2.0%, Neomycin 0.5% & Chlorocresol 0.1% Cream

Dercon-CT

Ciprofloxacin 1%, Metronidazole 1%, Terbinafine 1% & Clobetasol 0.05% Cream

Dercon-KT5

Clobetasol 0.5%, Neomycin 1%, Tolnaftate 10% Iodochlorhydroxyquinoline 10% & Ketokonazole 20%

Dercon

Clotrimazole 1% Dusting Powder

Dercon-CN

Clotrimazole 1%, Neomycin 0.5% & Beclomethasone 0.025 % Cream

Dercon-Lite

Hydroquinone 2%w/w, Tretinoin 0.025%w/w & Mometasone 0.1%w/w Cream

no more worries of infections

Sometimes you need
the REAL HELPS TO CONTROL

Dlimpride-M¹/₂

Glimepiride 1/2mg &
Metformine HCl. 500mg Bilayered Tablets



Dlimpride

Glimepiride

Lowers blood glucose (sugar) by stimulating the release of insulin from the pancreas gland.

Metformin Hydrochloride

First line agent in all people with type II diabetes, even those with a normal BMI

Has proven itself as an effective & weight-friendly agent

The combined use of glimepiride plus metformin in a single presentation for 3 months showed to be efficacious and safe in patients with DM2 & secondary failure to glibenclamide

Rev. Invest Clin. 2004, May-Jun; 56(3) : 327-33

Dlimpride-MP2

Glimepiride 2mg, Pioglitazone HCl. 15mg &
Metformine HCl. 500mg Tablets

Dlimpride-M2 *Forte*

Glimepiride 2mg &
Metformine HCl. 1000mg Bilayered Tablets

For superior glycaemic control...

Provide instant relief

Sugar Free
Douscid-MIPS

Simethicone 20mg & Magaldrate 400mg Suspension

SIMETHECONE

A reliable anti-flatulent

MAGALDRATE

A perfect antacid with prompt & sustained neutralizing action

HYPER ACIDITY

DYSPEPSIA

HEART BURN

PEPTIC ULCERS

FLATULENCE

REFLUX OESOPHAGITIS

Sugar Free
Douscid

Ammonium gel 250 mg., Mag. Hydroxide 250 mg.
& Simethicone 50 mg. Suspension

Douscid-S **Douscid-O**

Sucralfate 1 gm &
Oxetacaine 20 mg. / 10 ml. Suspension

Simethicone 50 mg. & Magaldrate 480 mg.
& Oxetacaine 10 mg. / 10 ml. Suspension

a smooth & soothing remedy in burning sensation

When Acid Overflows....

Chill it with....

Eszomed-D

Esomeprazole 40 mg. & Domperidone 30 mg. (Sustained Release) Capsules

Esomeprazole

Provides more effective acid control than twice dose of Omeprazole

Digestive diseases & sciences, Vol. 47, No. 5: May 2002

More potent acid inhibitor than other currently available PPIs & is therefore used as a first-line drug for acid-related diseases

Clinical and Experimental Gastroenterology 2012;5 49-59

Greater efficacy than omeprazole in the treatment of GERD patients with erosive esophagitis.

Am J Gastroenterol. 2001 Mar;96(3):656-65


Domperidone:

Peripheral dopamine D2-receptor antagonist that increases motility & gastric emptying

Br J Clin Pharmacol. Jun 2005; 59(6) : 725-729

Eszomed

Esomeprazole 40 mg. **Tablets / Injection**



Indicated in

- ✓ Stomach & Duodenal Ulcers
- ✓ Zollinger Ellison Syndrome
- ✓ Gastroesophageal Reflux Disease

for relief in acidity reflux

Stop **G**OUT

patients sufferings

Fabumed⁴⁰₈₀

Febuxostat 40/80mg Tablets


Inhibits xanthine oxidase, can decrease uric acid production, thus decreasing the incidence of urolithiasis.¹

Patients with stage 2 to 3 CKD, febuxostat 40 mg daily were also superior in achieving the serum urate target level in comparison to renally dose - adjusted allopurinol (200 to 300 mg daily)²


Highly effective & as safe as allopurinol in preexisting renal impairment³

1- Clinical Medicine Insights: Therapeutics 2010;2, 2-Arthritis Research & Therapy. 2009;11(4):236, 3- Medpage:Pub Nov: 02, 2009

*Chronic Management
of
Hyperuricemia in patients
with gout*



HEALTHY URIC ACID LEVEL




Fabumed helps you stand up to GOUT

MALARIA OUT BUST

Falnic

Artemether 80mg & Lumefantrine 480mg **Tablets**

α β Arteether 150mg **Injection**



A combination therapy (ACT) indicated for the treatment of acute uncomplicated plasmodium falciparum malaria

An effective & well-tolerated malaria treatment, providing cure rates of up to 97%, even in areas of multi-drug resistance.^{1,2,3}

1. Novartis AG. 5th Edition. November 2005. 2. Am. J. Trop. Med. Hyg., 74(6), 2006, pp. 991-998 3. Acta Tropica 100 (2006) 41-53

The 6-dose regimen of artemether-lumefantrine was better tolerated than & as effective as, artesunate-mefloquine, the current standard treatment in this area of multidrug-resistant P. falciparum malaria

Trans R Soc Trop Med Hyg. 2000 Sep-Oct;94(5):545-8

High cure rates and was more effective than most other drug combinations used for uncomplicated malaria

Cochrane Database of Systematic Reviews 2009, Issue 3.

the most effective treatment for malaria

Increase
the level of **RBCs**

Feconic-XT

Ferrous Ascorbate 100 mg., Folic Acid 1.5 mg. & Zinc 22.5 mg. Tablets



Ferrous Ascorbate

Better absorbed than ferrous sulfate when administered with meals of type normally consumed in India¹

Folic Acid

Stimulates production of RBC's in people suffering from anaemia

Zinc

Essential for normal iron metabolism & prevention of anemia, prevent pre-term delivery, Immunity in both mother & child, Healthy baby born (weight balance).

Benefits of combination :

Helps body to produce red blood cells efficiently

Improves weakness, tiredness, shortness of breath & general physical fatigue

Iron Deficiency

Liver or Digestive disorders

Pregnancy & Lactation

Chronic Infections

Acute/Chronic Blood Loss

Feconic-XT


Ferrous Ascorbate 30 mg. & Folic Acid 550 mcg. / 5 ml. Syrup

Feconic-XT

Ferrous Ascorbate 30 mg. & Folic Acid 160 mcg. / 1 ml. Drops

Feconic-S

Ferric Hydroxide Complex
with Sucrose 20mg/ml **Injection**



*Controls excessive
vaginal discharge*

*Relieves abdominal
cramps & low backache*

Femonic

HERBAL TONIC FOR WOMEN

Stimulates the immune system, inhibit inflammation & improve memory

Acts on all tissues as a powerful anabolic good for reproductive organs

Useful in urinary discharge, blood troubles & burning sensations

Useful in leucorrhoea & other vaginal discharges & in profuse menstruation

Irregular Uterine Bleeding

Menstrual Irregularities

Female Infertility

Low Back Pain

Improves Health & Looks

General Weakness

Post Menopausal Syndrome

**Can be taken even during
Menstrual Cycle**

Improves Fertility

Do not use during Pregnancy

Femonic

HERBAL TONIC FOR WOMEN

Excellent results in uterine prolapse



All disease
begins in the
GUT

Gutup

Pre & Probiotics Capsules/Dry Syrup

Probiotics

- ☞ Improves digestion of Lactose
- ☞ Stimulate synthesis of Vitamin B,C & K
- ☞ Increase production of secretory IgA
- ☞ Produce short chain fatty acids

Prebiotic

- ☞ Nourishes probiotics, Reduces pH there by facilitate beneficial bacteria & inhibit pathogens.
- ☞ Nourishment for probiotics.

For the benefits & for GI tract

also available

Gutup
Pre & Probiotics with Zinc Sachet

Gutup
Bacillus clausii Spores 2 billion/5ml.
Suspension

Antibiotic associated diarrhoea

Secondary Lactose intolerance

Travelers diarrhoea

Rotavirus diarrhoea

Tube feed related diarrhoea

Gutup Protects restores & strengthens GUT

In cough trusted & fast acting formula

Koldamed-D^S

Para. 250 mg., Phenylephrine HCl. 2.5 mg. & CPM 2 mg. Syrup

Koldamed

Phenylephrine HCl. 5 mg. &
Chlorpheniramine Maleate 2 mg./5 ml. Drops

Koldamed

Diphenhydramine 25 mg., Paracetamol 325 mg.,
Phenylephrine HCl. 10mg. & Caffeine 30 mg. Tablets

Koldamed N

Nimesulide 100mg, Paracetamol 325mg,
Phenylephrine HCl. 10mg & Caffeine 25mg Tablets

Koldamed^{CTN} CTN Plus

Cetirizine 2.5mg, PCM 125/250mg & Pheylephrine 2.5/5mg

Allergic Rhinitis

Common Cold

Fever & body pain

Nasal congestion

Burst the cold



Drain
away the **Pain**

Kolimed D

Mefenamic Acid 250 mg & Dicyclomine 10 mg Tablets

Mefenamic Acid

Relieves dysmenorrhea by suppressing the endometrial prostaglandins productions¹

Beneficial in alleviating the cramps & restores the normal uterine activity

Dicyclomine

Blocks the muscarinic type of acetylcholine receptors, thus relieves intestinal spasms²

1. Indian J Pharmacol. 2013, Mar - Apr; 45(2): 180-183
2. IJAPBS 2012; 1 (3): 73-76

also available

Kolimed-P

Mefenamic Acid 500 mg. &
Paracetamol 325 mg. Tablets

Kolimed^P_P DS

Mefenamic Acid 50 mg. & Paracetamol 125 mg. Suspension
Mefenamic Acid 100 mg. & Paracetamol 250 mg. Suspension

**STOMACH &
INTESTINAL CRAMPS**

**BILIARY
URETERIC COLIC**

**PERIODIC SPASM/
DYSMENORRHOEA**

**CHRONIC
PELVIC PAIN**

ABDOMINAL PAIN

takes care of the colic problems



Outfear
the
Cold
Busts



Kufquit[®] D

Dextromethorphan 10 mg., Phenylephrine 5 mg.
& Chlorpheniramine Maleate 2 mg. **Syrup**

Kufquit[®]-PD

Dextromethorphan 10 mg., Cetirizine 5 mg.
& Ambroxol 15 mg. & PCM 125 mg. **Syrup**

Kufquit[®]-AM

Ambroxol HCl. 15 mg., Terbutaline Sulphate 1.25 mg.,
Guaiphenesin 50 mg. & Menthol 1 mg. **Syrup**

Kufquit[®]-LS

Levosalbutamol 1 mg., Ambroxol HCl. 30 mg.
& Guaiphenesin 50 mg. **Drops**

Kufquit[®]-M

Terbutaline Sul. 1.25 mg., Bromhexine HCl. 4 mg.
Guaiphenesin 50 mg. & Menthol 1 mg. **Syrup**

Kufquit[®]-DX

Dextromethorphan HBr. 10mg, Bromhexine HCl. 8mg
Guaiphenesin 100mg & CPM 2mg. **Tablets**

Kufquit[®]-H

Honey Based Cough Syrup

enjoy the pleasure of changing season

when Kids suffer from **GERD**

LanzomaxJR

Lansoprazole Disintegrating 15mg Tablets

Well tolerated in neonates & infants <1 year of age & above with Gastro Esophageal Reflux Disease (GERD)-associated symptoms

Paediatr Drugs. 2008;10(4):265-74

Significantly better than treatment of infants with an extensively hydrolyzed formula

J Pediatr Gastroenterol Nutr. 2008; Mar;46(3):352-4

Provide faster symptoms relief & are effective in healing erosive esophagitis in patients unresponsive to H2RAs.

MedGen Med. 2004;6(2):13

GERD

EROSIVE ESOPHAGITIS

ZOLLINGER ELLISON SYNDROME

safe & effective way

LanzomaxJR

to treat **GERD** in kids



The natural supplement that protects your patients liver



Reduce ammonia,
improves mental function
in liver disorders

Lolamed

L-ornithine L-aspartate 50 mg., Silymarin 35 mg.,
Tricholine 500 mg. & Multivitamin **Injection**

Activates urea cycle in the liver

Ensures coma-protective effects through stimulation of
central and peripheral ammonia detoxification

Improves mental function, reduces time required for NCT

Reduce ammonia levels

Lolamed *Plus*

L-ornithine L-aspartate 250 mg., Silymarin 70 mg., Vitamin B1-5 mg.,
Vitamin B2-5 mg., Vitamin B6-3 mg., Vitamin B12-10 mcg., Niacinamide 50 mg.
& Calcium D-Panthenol 10 mg.

Acute & Chronic Hepatitis

Fatty Liver

Alcoholic Liver Damage.

Adjunct to Hepatotoxic Drugs

Cirrhosis

Hepatitis

Post Hepatitis Convalescence.

Lolamed

L-ornithine L-aspartate, Silymarin,
Tricholine & Multivitamin **Syrup**

When it matters for normal body function & faster healing



Multi-dimensional approach

Lonecort⁴₁₆⁸

Methylprednisolone 4,8,16 mg. Tablets

Rheumatic Disorders

- Anti-inflammatory potency

Collagen Diseases:

Dermatologi

- Pemphigus
- Exfoliative dermatitis
- Bullous dermatitis herpetiformis
- Mycosis fungoides

Allergic Conditions:

- Bronchial Asthma,
- Offers significant improvement in airflow parameters like FVC & FEV1

Ophthalmic Diseases:

- Allergic conjunctivitis

Respiratory Diseases:

- Fulminating or disseminated pulmonary tuberculosis when concurrently accompanied by appropriate anti-tuberculosis therapy.

INJECTION

Lonecort-40

Methylprednisolone Sodium Succinate 40 mg.

INJECTION

Lonecort⁴⁰₈₀

Methylprednisolone Acetate 40 & 80 mg.

Lonecort


.....all around protection

Conditioning the major organ of the body



Lungs Detox

A Herbal Lungs Detoxifier Syrup



Cleansing Blend :

Clear the airway by inhibiting the mucus hyper-production & expel mucus from the respiratory tract.

Immunity Blend:

Helpful in improving immunity by aiding in increasing the multiplication of immune cells like B and T cells.

Plays a role in repairing the lung tissues by increasing endogenous collagen synthesis.

Anti-inflammatory Blend :

Helps control respiratory tract inflammation.

Relaxation effect on airway muscles, thus, contributing to the enhanced functioning of the respiratory system.

Antioxidant Blend :

Helps protect the lung tissues from the harmful impact of pollution-induced oxidative stress.

Each 10ml. contains extracts derived from :

Somlata	250mg
Kantkari	300mg
Inkeer	200mg
Bahera	200mg
Khatmi	50mg
Banaphsa	50mg
Naushdar	25mg
Karpoor	5mg
Pudina	5mg
Bharangi	300mg
Lasura	300mg
Tulsi	200mg
Kakarshringi	200mg
Zuffa	50mg
Anardana	20mg
Kaiphali	25mg
Cidcidi	25mg

Clear Deposited Tar | **Protects from Air Pollution** | **Removes Toxins purifies Lungs**

A nutritional supplement that helps protect, cleanse & strengthen the lungs.

Stop
the Itching due to
Fungal Interaction

Luzimax™

Luliconazole Cream

Demonstrated complete clearance in subjects with **interdigital tinea pedis**, treatment outcomes at 4 weeks post-treatment.

Demonstrated complete clearance in subjects with **tinea cruris**, treatment outcomes at 3 weeks post-treatment

Once daily is effective even in short-term use (one week for tinea corporis/cruris) and 2 weeks for tinea pedis

Core Evidence Volume 2014:9(September 2014):113—124 · September 2014

Result in the complete clearance of dermatophytoses

The Journal of Dermatology 41(9) · August 2014

Athlete's foot

Jock itch

Ringworm

caused by dermatophytes such as *Trichophyton rubrum*, *Microsporum gypseum*¹ and *Epidermophyton floccosum*²

1. Jump up ^ "FDA approves luliconazole for tinea pedis". November 19, 2013. Retrieved 14 January 2014.

2. Valeant Pharmaceuticals North America LLC. Retrieved 1 October 2015.

Luzimax™

Luliconazole 1% Lotion

Luzimax-GT™

Clobetasol 0.05%, Gentamycin 0.1%, Luliconazole 1% & Tolnaftate 1%

Luzimax-OZ™

Ofloxacin 0.75%, Ornidazole 2%, Luliconazole 1% & Clobetasol 0.05%

relieves itching and soreness



Enjoy life without stress

Lykonic

Lycopene, Multivitamin, Multimineral **Capsules**

Lycopene, Multivitamin, Multimineral **Syrup**

Lycopene

Powerful antioxidant, neutralizes free radicals, which may damage the body's cell

Reduces risk of macular degenerative disease, serum lipid oxidation and cancers

Protects from harmful UV rays from sun

Multivitamin

Promotes growth in children; increases energy

Protect the mucous membranes of the mouth, nose, throat & lungs, thereby reducing susceptibility to infections

Improves absorption & utilization of calcium & phosphorous; required for bone & teeth formation

Lykonic^{Gold}

Lycopene, Adenosylcobalamin, Black Grape Seed, Lutin & DL methionine **Soft Gelatin Capsules**

Lykonic

LIC for your patients






Delivering the joy of **EVA**

Medcogest ³⁰⁰/₄₀₀ SR

Natural Micronized Progesterone 300/400mg Sustained Release **Tablets**

Natural micronized progesterone is a clinically feasible option for luteal phase support especially in BOH cases with insignificant side effects for improved compliance¹

Significantly offers higher gestational age at delivery & lowers preterm birth rate (Dosage 200 mg. tabs OD from 24-34 weeks of pregnancy)²



In

Recurrent miscarriage

Luteal phase support in IVF

Threatened abortion

1. Purabdare AC et. al., Int J Med Res Health Sci. 2014, 4;3(4) :975-976

2. Choudhary M et. al Int J Gynecol 2014 Jul; 126 (1) : 60-3

* Bad Obstetric History

also available

Medcogest MP

Medroxyprogesterone 10 mg Tablets

Medcogest H

Hydroxyprogesterone 500 mg. INJECTION

Medcogest

Natural Micronised Progesterone **100 / 200mg**
SOFTGEL CAPSULES

Medcogest

Natural Micronised Progesterone **50 / 100mg**
INJECTION

Insuring New Life

Eradicate the fungus.... not oneself

Medozole

150
200
Fluconazole 150 mg. /200 mg. Tablets

Better than itraconazole in acute vaginal candidiasis¹

High clinical cure rates with once weekly dosing in tinea pedis²

Stat dose is as effective as 7 days of intravaginal clotrimazole for Candida vaginitis³

1. Eur J Obstet Gynecol 2003, Feb 10;106(2):193-7

2. Clinical & Experimental Dermatology, 17(6), 402-406

3. American Journal of Obstetrics & Gynecology, Apr 1995, 172 (4), Part 1, 1263-1268

Vaginal Candidiasis

Candidial Balanitis

Candiduria

Brochopulmonary Infections

Tinea Pedis, Corporis,

Cruris, Versicolor

Medozole 150
200
Fluconazole 150 mg. /200 mg. Tablets

the fugal terminator

a daily dose for Good health

Medzovit

Drops
Syrup
Tablets

Multivitamin & Multimineral Drops
Multivitamin, Multimineral & L-Lysin Syrup
Multivitamin, Multimineral, Zinc & Grape Seed Extract Tablets

Medzovit SF

Multivitamin & Multimineral & L-Lysine Sugar Free Syrup



Medzovit L

Multivitamin & Multimineral & L-Lysine Syrup

Powerful combination

Prevents damage to body's tissues, blood vessels & collagen from free radicals

Stabilizes membrane structure & protects cells by preventing lipid peroxidation

Promotes Strong bones, healthy teeth, skin, hair, gums & eye sight

Improves

Appetite, Growth
& Weight Gain

Humoral &
Cellular Immunity

Oxidative stress Articular Disorders High Blood Cholesterol

Ophthalmologic Disorders Age-related macular Degeneration

Essential companion in Debilitated conditions



when **PAIN halts**
brings back performance



Fast DT Formula
Mixcam

Piroxicam 20mg Dispersible Tablets

also available

Mixcam

Piroxicam 20mg/ml. Injection

Excellent gastrointestinal safety, can be used for longer duration
Has higher level of efficacy & tolerability than traditional NSAIDs when
used both in acute & Chronic rheumatic diseases¹

An effective & well tolerated treatment in Chronic Back Pain¹

1. Pijak Mr, et. al. Bratisl lek listry 2002;103 (12):467-472

Rheumaoid Arthritis | Osteoarthritis | Gonarthrosis
Mialgia | Severe backache | Neuralgia | Post operative pain

Faster recovery, back in action

*For short term management of moderately
severe acute pain that require analgesia at
opioid level.....
(upto 5days)*

Ketcolate

Ketorolac 10 mg Dispersible Tablets

for faster relief from painful conditions

“ a safe & effective analgesic agent for the short-term management of acute
postoperative pain & can be used as an alternative to opioid therapy “

Research Journal of Medicine and Medical Sciences, 2(2): 102-105, 2007

- **Dental pain**
- **Post Operative Pain**
- **Accidental Trauma**



Counter
the **pain**
with **Ease**

MofenacTM **MR** TABLETS
Acelofenac 100 mg, PCM 325 mg & Chlorzoxazone 250 mg

Combination of SMR & NSAIDs is superior to single agent alone¹

Provides good analgesic, antipyretic & anti-inflammatory activity with skeletal muscle relaxation

Controls inflammation & improves flexibility of the involved muscles

Treats muscle spasm & the resulting pain & discomfort

Skeletal Muscle Spasm

Sprains & Strain

Sports Injuries

Lumbago

Fractures

Spondylitis

MofenacTM **SR** TABLETS
Acelofenac 200 mg Sustained Release


MofenacTM **R** TABLETS
Acelofenac 100 mg. & Rabeprazole 20 mg.

MofenacTM **P** Suspension/TABLETS
Acelofenac 50 mg. & PCM 125 mg. / 5 ml.
Acelofenac 100 mg & Paracetamol 325 mg

MofenacTM **XL** TABLETS
Trypsin Chymotrypsin 50,000 AU,
Acelofenac 100 mg. & Paracetamol 325 mg.

MofenacTM **SP** TABLETS **SP forte**
Acelofenac 100 mg, Para 325 mg & Serratio 10 mg
Acelofenac 100 mg, Para 325 mg & Serratio 15mg

MofenacTM **T** TABLETS **4** **8**
Acelofenac 100 mg & Thiocolchicoside 4 /8mg.



Solid punch to resistant strains

Mzolid 600

Linezolid 600mg Tablets

Effective in the treatment of gm+ve infections as an alternative to glycopeptides¹

Unique MOA makes cross-resistance with other antimicrobial²

offers clinical cure rates of up to 93.2% in SSSIs³


Effective in treatment of pneumonia caused by MDR-S pneumoniae⁴

Nosocomial Pneumonia

Community-acquired Pnumonia

Complicated & uncomplicated SSSIs

Vancomycin-resistant Enterococcus (VRE) Infections



Chest Nov 2003; 124;51:1789-1790

also available

Mzolid

Linezolid 100mg/5ml Dry Syrup

overrun the resistant pathogens

1. J Antimicrob Chemother. 2011, May;66 Suppl 4:iv3-iv6
3. Clinical Therapeutics, Jan 2010, 32, 1 (66-88)

2. Clinical Therapeutics, Mar 2001, 23,3 (356-3912)
4. Clin Ther. 2010 dec;32(13):2198-206

End the
Existence of
FUNGAL
Infections



Neoitra¹⁰⁰₂₀₀

Itraconazole 100 & 200 mg. Capsules

Broad spectrum of action with efficacy against aspergilosis

Histoplasmosis Candidiasis as well as fungal infection of toe nails
& onychomycosis


A potent fungistatic that is effective even in immuno compromised
patients

Itraconazole was tolerated significantly better than conventional AMB
and also showed advantages regarding efficacy

Itraconazole is a useful and safe agent in empirical antifungal therapy

Candidiasis | Sporotrichosis | Cryptococcosis
Asperillois | Mycosis

Neoitra NO MORE
tough fungal infections



*Unbearable cramps,
uncontrollable bloat*

Nexstat-MF

Mefenamic Acid 250 mg & Tranexamic Acid 500 mg. Tablets

Mefenamic Acid :

Relieves dysmenorrhea by suppressing endometrial prostaglandin (PG) production, thus alleviating cramps & restoring normal uterine activity¹

Decreases menstrual flow & relieves PG-induced symptoms like headache & breast tenderness¹

Tranexamic Acid

Hemostatic agent, decreased fibrinolysis²

Reduces menstrual blood loss (MBL) by upto 60%³

1 Indian J Pharmacol 2013, Mar-Apr; 45(2) : 180-183

2. J Fam Pract. 2011 Jul; 60(7) : 410-412

3. Int J Womens Health 2012; 4 : 413-421

Dysmenorrhea

Dysfunctional Uterine Bleeding

IUD-associated Menorrhagia

Post-gynecological Surgeries

Postpartum Hemorrhage

Nexstat-E

Tranexamic Acid 250 mg & Etasylate 250mg Tablets

Nexstat

Tranexamic Acid 500 mg. Tablets

Nexstat

Tranexamic Acid 500mg/5ml Injection

for excessive loss of blood & Pain

Keeping spirits high

Nifolate

L-Methyl Folate 1mg, Pyridoxal-5-phosphate 0.5mg & Methylcobalamin 1500mcg Tablets



Provides nutritional requirements needed to restore metabolic processes associated with diabetic neuropathy.

Maintain blood flow by increasing nitric oxide resulting in vasodilation

Adjunct in endothelial dysfunction in patients who present with loss of protective sensation & neuropathic pain associated with diabetic peripheral neuropathy.

Overcome issues of folate metabolism associated with compromised gastrointestinal function, liver impairment & genetic enzyme defects

Prevent Low Folate levels

Neural Tube Defects

High risk recurrent pregnancy loss

Risk of anemia due to impaired folic acid absorption

also available

Nifolate *Plus* **Soft Gel**

L Methylfolate 1mg, Methylcobalamin 1500mcg,
Pyridoxal 0.5mg, DHA (40%) 200mg & Vit D3 2000 IU



Nifolate



helps to cover the lost



Clear the
Nasal & Sinus
congestion

Nozymed

Sodium Chloride 0.65 % w/v Nasal Drops

Treat dryness inside the nose (nasal passages).

Helps add moisture inside the nose to dissolve & soften thick or crusty mucus.

Helps to make the mucus easier to remove with a nasal bulb syringe.

Helps relieve stuffiness and makes breathing easier.

For dry, irritated nasal passages due to allergies, cold flu, sinusitis
& rhinitis

Safe for frequent, daily nasal care

Gentle enough for infants

Nozymed
makes breathing easier

Ingest the real
ENERGY

to reactivate the
PERFORMANCE



Nuchill(o)

Energy Drink (Glucose)with Vitamin C & Zinc (105 gm)

Nuchill

Ready Made Energy Drink (200 ml.)

Nuchill(L)

Energy Drink (Glucose)with Vitamin C & Zinc (105 gm)

Instant energy to overcome fatigue & tiredness

Extensively used as nutritional source of energy

An essential dietary nutrient to combat stress & strain

Lack of energy/fatigue **Heat Stroke** **Post Fever Care**

Sports **Convalescence**

Energizes life for active performance

**Cool down
the burning
micturition**

Safe in all age group

Nuliser

Disodium Hydrogen citrate 1.4 gm/5ml. Syrup

The only low sodium alkalizer that provides optimum amount of elemental sodium


Potassium counters hypokalemia & helps in efficient removal of sodium from urinary tract

Helps to maintain optimum pH

Minimises the chances of crystaluria

Useful adjuvant in gout therapy

Enhances antimicrobial activity of sulpha drugs, aminoglycosides & other antibiotics



Cystitis

Pyelonephritis

Bacteriuria

Catheter associated UTI

Dysuria

Nuliser-P

Citric Acid 334mg & Potassium citric 1100mg/5ml Syrup

Nuliser-PB6

Potassium citrate 978mg, Mag. Citrate 263.10mg & Vit. B6 15mg

Potassium citrate 1100mg, Mag. Citrate 375mg & Vit. B6 20mg

Tablets
Syrup

A unique dual salt alkalizer

Nuliser

Making those moment more cherished and lovely

Nutragin

L-Arginine 3g, Proanthocyanidins 75mg Sachets

L-arginine

Helps blood vessels to open wider for improved blood flow.

Stimulates the release of growth hormone, insulin & other substances in the body.

Proanthocyanidins

Has antiviral, antibacterial activity

Increase the placental circulation, for better growth of baby

Reduces the chances of an early miscarriage

Safely prescribed in pregnancy & may be continued till full term to avoid growth retardation and preterm labor.

Nutragin

L-Arginine 3g, Proanthocyanidins 75mg Sachets

*a nutritional gain
for mother & child*



Waking up with
burning stomach !!

Omedouse

Omeprazole 20 mg. Capsules

FDA approved for use in hyperacidity¹

Potent pharmacologic inhibitor of gastric acid secretion

Offers faster relief of heartburn

Heals & prevents ulcers effectively

More effective than lansoprazole in maintaining gastric pH>4 in the daytime and nighttime periods¹

Aliment Pharmacol Ther, May 1, 2001; 15(5) : 647-52

Gastric /Peptic Ulcer

Heartburn/Regurgitation

GERD

Dyspepsia

Omedouse-DSR

Omeprazole 20 mg. & Domperidone 30 mg. (SR)Capsules

douse the burning sensations



Control the uncontrolled **Nausea & Vomiting**

Onzoset⁴₈

Ondansetron 4 / 8 mg. Mouth Dissolving Tablets

Selective 5-HT₃ receptor antagonist

New Eng. Journ. of Med. 354(16) 1698-1505

Reduces vomiting & facilitates oral rehydration in
gastro-enteritis

British Journal of Anaesthesia, Vol 79, Issue 33,1997

Effective in controlling both post-operative & post-radiation nausea & vomiting

Well tolerated and more effective than metoclopramide for all assessment criteria
in the treatment of established PONV

Safe & effective in the treatment of chemotherapy induced nausea &
Vomiting

The Oncologist, Vol. 3, 432-438, Dec 1998

- **Nausea & Vomiting**
- **Chemotherapy induced Nausea & Vomiting**
- **Post Operative Nausea & Vomiting**



Onzoset

Ondansetron 2 mg / 5 ml Drops

Onzoset

Ondansetron 2 mg/ml. Injection

..... a quick 'n' sure relief for **active** bodies



Bad Breath
can **steal**
your pleasure

for relief in Hypersensitive teeth

MEDICATED TOOTHPASTE
Orogem
Potassium
Nitrate 5 %

Smile. with fresh breath

ORAL SOLUTION
Orogem
Chlorhexidine
Gluconate 2%



Treat painful gum disorders, inflamed & bleeding gums. . .



GUM PAINT
Orogem
Tannic Acid 5.0%,
Choline Salicylate 8%,
Cetrimide 0.01%, Lignocaine HCl. 2 %

Gingivitis

Stomatitis

Pharyngitis

Tonsillitis

Apthous-ulceration

Oral candidal or bacterial infections

for healthy gums & teeth



**Stones
deserve no place
in your patients body**

Pathril

An Ayurvedic Litholytic Capsule / Syrup for dissolving renal calculi

Decrease stone forming constituents (calcium, oxalate & phosphorous) in the urine & increases magnesium levels

Inhibits stone formation almost completely along with normalization of leukocytosis, elevated serum urea levels and altered histopathology of urinary bladder.

Eliminates excess water & toxin from the body without unbalancing electrolyte thus supports kidney.

Soothes inflamed tissues and eases the flow of urine. A diuretic & helps in detoxifying kidneys.

Has lithotropic & diuretic activities.

also available

Pathril Kit
combo pack

Relieves symptoms of UTI

Soothes Urinary Tract & regulates Urinary pH

A natural Lithotriptic acting Multi-dimensionally

Helps prevent Recurrence in UTI & Urinary Stones

Acts as Nephroprotective

Reduces complications in Prostatic Enlargement

A Nephro Protective & Renal Calculi kit

Rheumatoid Arthritis
&
Joint Muscular Pains



Herbal

ṛεεda haran

Scapula
Inflammation

Myalgia

Arthritis

Anti Inflammatory
& Muscle Relaxant

Muscular Pain &
Rheumatoid Problems

Stiff Joint & Paralytic disorders

Reduces Swelling

Cervical Spondylosis Osteoarthritis

Rheumatoid Arthritis **Gout** Sciatica

Musculoskeletal Pain Various form of Paralysis

Pain Oil | Capsule | Syrup | Combo Pack

ṛεεda
haran *gentle touch & instant relief*

Get rid off Scabies,
Head Lice, Crab Lice

Preconic™

Permethrin Lotion 5 %
Permethrin 1% Soap

An Effective miticide

- **Sarcoptes Scabiei** (Scabies)
- **Pediculus Humanus Var Capitis** (Head Lice)
- **Pthirus Pubis** (Crab Lice)

Safe in children above 2 months

20 times less toxic as compared to lindane lotion

For persistent itching & skin irritation

Scobonic

Gamma Benzene Hexachloride 1% & Cetrimide 1% Lotion

Gama Benzene Hexachloride

- Highly effective & well tolerated by children as well as adults in the treatment of scabies
- Eradicates all adult lice, nymphs & nits
- More effective than ivermectin in treating crushed scabies

Cetrimide

- Possesses wide spectrum anti infective against bacteria & fungi
- Effective in treating seborrhoea & psoriasis

PEDICULOSIS

SCABIES

PSORIASIS

SEBORRHOEA



Life hangs on ...
need just a little touch



Pleticet

Papaya 1200mg, Mandookparni 400mg, Aloe vera 200mg, Amla 200mg, Haritaki 100mg, Giloye 100mg, Kiwi 100mg, Punernava 100mg, Methi dana 100mg, Tulsi 100mg & Trikatu 100mg Capsules

Exhibited potential activity against Dengue fever.

A strong natural candidate against viral diseases.

Asian Pacific Journal of Tropical Biomedicine. 2011


Help in boosting the body's immunity & hence is very good for those who are suffering from fever, cold or flu.

Increases the platelet and RBC counts, boost thrombopoiesis and erythropoiesis in humans in which these cell lineages have been compromised.

Asian Pac J Trop Biomed. 2013 Sep;3(9):720-4.

a strong natural candidate against viral diseases.

Asian Pac J Trop Biomed. 2011 Aug;1(4):330-3.



Thrombocytopaenia

Liver Cirrhosis

Chemotherapy

Dengue

Malaria

Viral Disease

increases the platelet count

Pleticet^{Syrup}

Papaya Leaf, Giloye, Goat Milk Powder & Kiwi Powder

the ultimate **Platelet** enhancer



When stomach
start crunching

Rabzonic-LS

Rabeprazole (EC) 40 mg. & Levosulpiride 75 mg. SR Capsules

Rabeprazole

Better pH control translates into faster symptom relief from heartburn within 5 days.

Richler JE et al. Am J Gastroenterol 2001, 95: 656-665

Provides more effective acid control than twice the standard dose of omeprazole.

Dig Dis Sci. 2002 May;47(5):954-8

Levosulpiride :

An effective and safe drug in the treatment of dysmotility-like functional dyspepsia and non-erosive reflux disease.

Ther Clin Risk Manag. Mar 2007; 3(1): 149-155

Effective & well tolerated in patients with functional dyspepsia accompanied by delayed gastric emptying.

Korean J Intern Med. 1998 Feb;13(1):15-21

also available

Rabzonic Tablets
Injection

Rabeprazole 20 mg. Tablets

Rabeprazole 20mg (Lyophilized) Injection

Rabzonic-DSR

Rabeprazole 20 mg. & Domperidone 30 mg. SR Capsules

Nausea & Vomiting

Post surgical convalescence

Peptic Ulcer

Reflux esophagitis

Dyspepsia

total control ,on hypercid disorders

PROVIDE A PROTECTION
FROM INFECTIOUS CONDITIONS



RoxipodTM 100 200

Cefpodoxime Proxetil Tablets

Third generation cephalosporin; absorbed readily from the gut¹

Reaches adequate levels exceeding the MIC in most of the body fluids¹

Very effective as step down from parenteral cephalosporin¹

1. Indian J Pediatr. 2003, Mar; 70 (3): 227-31

ENT INFECTIONS

**UNCOMPLICATED URINARY
TRACT INFECTIONS**

**UNCOMPLICATED SKIN & SOFT
TISSUE INFECTIONS**

**UPPER & LOWER RESPIRATORY
TRACT INFECTIONS**

TM

Roxipod²⁵

Cefpodoxime Proxetil 25mg/ml Drops

RoxipodTM 50 100 DS

Cefpodoxime Proxetil Dry Syrup

RoxipodTM CV

Cefpodoxime Proxetil 50/100mg.
& Clavulanic Acid 31.25 / 62.5 mg. Dry Syrup

RoxipodTM CV

Cefpodoxime Proxetil 200 mg.
& Clavulanic Acid 125 mg. Tablets

RoxipodTM O

Cefpodoxime
Proxetil 200 mg. & Ofloxacin 200 mg. Tablets

to counter infections with ease



Enhance power
in your hands
to outwits infections

RTcort⁴⁰

Triamcinolone Acetonide 40mg Injection

8 times as effective as prednisone

Potent anti-inflammatory actions

Reduces inflammation in the lungs & airways,
thereby improves breathing

Eczema

Psoriasis

Arthritis

Allergies

Ulcerative colitis

Lupus

Sympathetic ophthalmia

Ocular inflammation

RTcort⁴⁰

power than never before

Protective Anti Fungal Coverage



Rusigone

Ketokonazole 2% with ZPTO
SHAMPOO

Rusigone

Ketokonazole 2% with ZPTO
SOAP

Broad spectrum antifungal agent

Reduces inflammation associated with dandruff & Seborrhoeic dermatitis

Impairs the synthesis of ergosterol, a component of fungal & yeast cell membranes

Dandruff

Tinea Versicolor

Seborrhoeic dermatitis

Recurrent Fungal Infections

Rusigone

for total control over uncontrol problems



When
Inflammation
along with
pain accelerates

Reduces the suffering
faster

Rutocon-D

Trypsin 48mg, Bromelain 90mg, Rutoside 100mg & Diclofenac 50mg Tablets



Trypsin : Anti-inflammatory effect due to inhibitory action on the vascular permeability¹

Bromelain : Lowers bradykinin & prostaglandins, reduces pain²

Rutoside : Powerful anti-oxidant that combats harmful free radicals released during inflammation¹

Diclofenac : Non-steroidal anti-inflammatory agent

1. Journal of Drug Delivery & Therapeutics; 2014, 4(1), 108-110
2. Evid Based complement alternative Med. Dec 2004;1(3): 251-257

Osteoarthritis | **Rheumatoid Arthritis** | **Tooth Extraction**

Fractures & Dislocations | **Post surgical inflammation** | **Trauma & Sports injuries**

also available

Rutocon

Trypsin 48mg, Bromelain 90mg
& Rutoside 100mg **Tablets**


RutoconForte

Trypsin 96mg, Bromelain 180mg
& Rutoside 200mg **Tablets**

Rutocon-D

 Relieves pain, improves mobility

Recherish the Bones health



Toughcal[®]D₃

Vitamin D₃ 60,000 IU
SACHET / CHEWABLE TABLETS

High Vitamin D levels helps reduce BP & risk of hypertension

Maintains normal blood levels of calcium & phosphorus

95% reduction of low back pain just within 3 months weekly supplement

6 months of treatment protects against bone loss

Improves immunity

Improves bone density within 4-6 weeks

Hypovitaminosis D

Corticosteroid induced Osteoporosis

Osteoporosis

Severe hypocalcemia in renal impairment

Chronic Kidney Disease

Prophylaxis of Osteoporotic fracture

Primary Tertiary Hyperparathyroidism due to Vitamin D Deficiency



*Mix Fruit
Flavour*

Toughcal[®]D₃

Vitamin D₃ 60,000 IU Nano Shot


Toughcal[®]D₃

Vitamin D₃ 800 IU Drops

Toughcal[®]D₃

Vitamin D₃ 60,000 IU SoftGel

recharge the bone health



*Making Bones
tougher & Stronger*

Toughcal-XT[®]

CCM 500mg, Omega 3 Marine Triglycerides,
Calcitriol 0.25mcg, Vit K27-45mcg, Boron 1.5mg,
Zinc 7.5mg & Methylcobalamin Tablets

Calcium Citrate Malate

More effective than calcium carbonate at slowing bone loss
in postmenopausal woman¹

Increases spinal bone density in osteoporosis²

Omega 3 fatty acids

Stimulates blood circulation, increase the breakdown of fibrin a compound
involved in clot & scar formation and in addition may reduce blood pressure.

Calcitriol

Stimulates calcium absorption

Safe & significantly reduces the rate of new vertebral fractures in post
menopausal women³

Vitamin K2-7

Increases osteocalcin levels & facilitates mineralization of bones⁴

Experts suppressive effect on osteoclasts⁵

Prevents fractures & sustains lumbar bone mineral density in osteoporosis⁶

Post menopausal, Senile and Osteomalacia

Corticosteroid induced Osteoporosis, Renal Osteo-dystrophy

Osteopenia, Hypothyroidism

Boost Energy, Enhances Immunity, Improves Chronic Fatigue syndrome

Toughcal-CC[®]

Calcium Citrate 1000mg,
Magnesium 250mg, Zn 15mg & Vit D3- 200IU Tablets

Toughcal-CT[®]

Calcitriol 0.25mcg, Calcium Citrate 425mg, Zn Sulp.
Monohydrates 12mg & Magnesium Oxide 40mg

Toughcal[®] Tablets Syrup

Elemental Calcium 500mg & Vit D3-250IU
Calcium Carbonate 625mg, Magnesium 180mg,
Zinc 14mg & Vit. D3 -200IU/5 ml. Syrup

For Better Activity...and health



*Reclaim the Hope
bring back into action*

Udnic- **150** **300** **450**

Ursodeoxycholic acid 150/300 & 450mg Tablets

Reduces cholesterol absorption & reducing the
cholesterol level in bilie

Plays a vital role in controlling the concentration
of cholesterol in blood

Plays a central role in modulation the apoptotic threshold

J Clin Invest. 1998 Jun 15;101(12):2790-9.

Protects against ethanol-induced liver mitochondrial injury

Life Sci. 1998;63(25):2259-70.

Galstones | **Biliary Stones** | **Hepatic Cirrhosis**

Cholestatic Liver Diseases

Udnic- **150** **300** **450**

ensures compliance & flexibility in liver diseases

In the fight
against INFECTIONS

SHIFT to a

multiyear approach

Unizith²⁵⁰
⁵⁰⁰

Azithromycin 250 & 500 mg. Tablets

Extensive & rapid distribution from serum into the intracellular compartments¹

Tissue concentrations exceeds serum concentrations by upto 100-fold¹

High concentration within phagocytes aids in its ability to combat infections¹

OD for 3 days is as efficacious as co-amoxiclav TDS for 10 days in LRTIs²

Simpler dosage regimen, better gastrointestinal tolerance than co-amoxiclav³

also available
Unizith¹⁰⁰
²⁰⁰
Azithromycin 100 & 200 mg./ 5 ml. Suspension

Acute Bacterial sinusitis

Community -acquired Pneumonia

Acute Bacterial Exacerbations of COPD

Skin & Soft tissue Infections

Genital Ulcer Disease

Urethritis / Cervicitis

1. Clin Pharmacokinet. 1993, Nov; 25(5):370-4

2. J Antimicrob Chemother. 1996, Jun 37, Suppl C : 93-101

3. J Antimicrob Chemother. 1993, Jun 31, Suppl E : 81-8



FOUL SMELL
ITCHING
IRRITATION
DRYNESS

*Choose
the best solution*

*Daily Intimate
Hygiene*
Whygea

pH
3.5*

Act as a proactive covering against bad bacteria

Decreases the pH in the Intimate area

Increases the acidity and inturn creates a favourable environment
for desirable microbial balance

Moisturize & Softens dry, scaly skin (xerosis)

“ Bacterial Vaginosis (BV) is the most common cause of vaginal discharge
and affects upto 1 in 3 women, including upto 20 % of pregnant women”

<http://www.gezondheid.be/index.ctm>

*Daily Intimate
Hygiene*
Whygea

gentle way for perfect wash

when allergies strikes
& blocks the nasal pathway

Xylonic OXY

Oxymetazoline HCl. 0.1 % Nasal Drops

Xylonic-P OXY

Oxymetazoline HCl. 0.05 % Nasal Drops

Acts on two
symptoms of nasal
cold congestion & runniness

Its unique formula clears the nose
& regulates the flow

Helps soothe nasal irritation and dryness

Has Longer duration of action

Has minimum rebound congestion

Is Safer, effective & economical alternative



ALLERGIES

SINUS IRRITATION

HAY FEVER

COMMON COLD

for complete freedom from congestion